


MAG6402 Network PA System On-Demand Terminal**FEATURES**

- Touch panel control, luxurious design, TFT true color screen display
- Equipped with the basic operation function of the host, including sound source choosing and etc
- Able to play the voice files chosen by the host, and also able to choose the files that stored in the host for play
- Host override function available, able to paging to other zones from this terminal, can also accept paging from other zones and the override of host emergency broadcast
- With remote control
- Equipped with screen protection function, for energy saving


OVERALL DIMENSION

Dimension of the front:



Connection
On-demand
the Network
The
terminal and

Dimension of the installation box:





between the
terminal and
Play Terminal:
On-demand
the Output

only terminal can be connected by the network cable. The network cable and the eight core cable should be connected as below:



8-bit port plug

- 8. Brown
- 7. Brown/white
- 6. Orange
- 5. Blue/white
- 4. Blue
- 3. Orange/white
- 2. Green
- 1. Green/white



The connection is shown as above.


Attention: The third foot of Terminal No.1 should be connected with a brown-white network cable, and the fourth foot should be connected with brown network cable. The third foot of Terminal No.2 should be connected to a blue and a blue-white network cable; the fourth foot of Terminal No.2 should be connected with a orange and a orange-white network cable.

Specification

Item	Index
Input Voltage	DC24V
Input Current (24V)	≤100mA
Power Consumption	≤3W
Standby Power	≤1.5W
Infrared Ray Control	≥10M
Line Transmission	≥300M
Data Interface	RS485
Functions	Play Mode, Volume Control, Zone On/Off, File Selection, Screen
Display Screen	320*240 3.2inch True Color Screen
Dimension (mm)	86×86×10 (Base not included)
Net Weight	110g (Including Installation Box)

Instructions: After install the installation box inside the wall, please install the fixed accessory of the remote controller on the box. As the accessory is fixed on the box from the bottom by screws, please make sure that the two screw holes should be align with the bottom edge of the box.

Installation of the
remote controller
installation box



INSTALLATION

Installation Steps:

Step one: Connect with the host.

Step two: Finish the installation of the box follow below picture.

